



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address: COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/753,846	01/07/2004	Alak Deb	XAMP001A

CONFIRMATION NO. 6026

25920  
 MARTINE & PENILLA, LLP  
 710 LAKEWAY DRIVE  
 SUITE 170  
 SUNNYVALE, CA 94085

## FORMALITIES LETTER



\*OC000000012446765\*

Date Mailed: 04/26/2004

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch). See Figures(s) 7.
  - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 22a,b,c & 23,24.

Replies should be mailed to: Mail Stop Missing Parts  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

*Lizor Deen*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY